

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("4015776").PN.	US-PGPUB; USPAT	OR	OFF	2008/02/28 17:03
S1	5	klein-volkmar	US-PGPUB; USPAT	ADJ	ON	2008/01/23 09:32
S2	5	klein-volkmar.in.	US-PGPUB; USPAT	ADJ	ON	2008/01/23 09:32
S3	269	137/543.13.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/01/23 09:33
S4	131990	"137".clas. or "251". clas. and (adjustable adj2 seat)	US-PGPUB; USPAT	ADJ	ON	2008/01/23 10:17
S5	152	("137".clas. or "251". clas.) and (adjustable adj2 seat)	US-PGPUB; USPAT	ADJ	ON	2008/01/23 10:18
S6	544	("137".clas. or "251". clas.) and (movable adj2 seat)	US-PGPUB; USPAT	ADJ	ON	2008/01/23 10:32
S7	0	("137".clas. or "251". clas.) and (adjustable valve stop)	US-PGPUB; USPAT	ADJ	ON	2008/01/23 10:35
S8	0	("137".clas. or "251". clas.) and (adjustable adj2stop)	US-PGPUB; USPAT	ADJ	ON	2008/01/23 10:35
S9	627	("137".clas. or "251". clas.) and (adjustable adj2 stop)	US-PGPUB; USPAT	ADJ	ON	2008/01/23 10:35
S10	525	("137".clas. or "251". clas.) and (adjustable stop)	US-PGPUB; USPAT	ADJ	ON	2008/01/23 10:35
S11	264	("137".clas. or "251". clas.) and (adjustable stop) and valve.ti.	US-PGPUB; USPAT	ADJ	ON	2008/01/23 10:35
S12	832	137/540.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/01/23 10:47
S13	48	137/540.ccls. and adjust	US-PGPUB; USPAT	ADJ	ON	2008/01/23 10:52
S14	142	137/540.ccls. and adjust \$4	US-PGPUB; USPAT	ADJ	ON	2008/01/23 10:52
S15	169	137/524.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/01/23 10:54
S16	25	137/524.ccls. and adjust \$4	US-PGPUB; USPAT	ADJ	ON	2008/01/23 10:57

S17	71	valve.ti. and (adjust spring force)	US-PGPUB; USPAT	ADJ	ON	2008/01/23 11:00
S18	0	(check valve).ti. and (adjust spring force)	US-PGPUB; USPAT	ADJ	ON	2008/01/23 11:01
S19	0	(non\$1return valve).ti. and (adjust spring force)	US-PGPUB; USPAT	ADJ	ON	2008/01/23 11:01
S20	71	(valve).ti. and (adjust spring force)	US-PGPUB; USPAT	ADJ	ON	2008/01/23 11:01
S21	8	("4353163").URPN.	USPAT	ADJ	ON	2008/01/23 11:13
S22	14	("5758682").URPN.	USPAT	ADJ	ON	2008/01/23 11:13
S23	30	("1260663"   "2170478"   "2351874"   "2804281"   "2943639"   "2973008"   "3209777"   "3434495"   "3608576"   "3749122"   "3937249"   "4148338"   "4279403"   "4453561"   "4653725"   "4827968"   "5033503").PN. OR ("6152171").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/01/23 11:14
S24	6	((("2,884,952") or ("3,255,774") or ("3,756,273") or ("1,150,641") or ("2,699,179") or ("5,332,000"))).PN.	US-PGPUB; USPAT	OR	OFF	2008/01/23 11:17
S25	0	((("JP6058431") or ("GB1011376") or ("EP819875") or ("DE2657669"))).PN.	EPO; JPO; DERWENT	OR	OFF	2008/01/23 11:18
S26	0	((("JP6058431") or ("GB1011376") or ("EP819875") or ("DE2657669"))).PN.	EPO; JPO; DERWENT	OR	OFF	2008/01/23 11:18
S27	4	((("3756273") or ("2699179") or ("5332000"))).PN.	EPO; JPO; DERWENT	OR	OFF	2008/01/23 11:19
S28	8	((("3756273") or ("2699179") or ("5332000"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/23 11:19

S29	4	("2884952").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/23 11:20
S30	1013	251/367.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/01/24 09:04
S31	777	251/337.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/01/24 09:09
S32	419	251/359.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/01/24 09:19
S33	590	251/360.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/01/24 09:22
S34	378	251/361.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/01/24 09:45
S35	420	valve.ti. and (adjust\$4 adj2 seat\$3)	US-PGPUB; USPAT	ADJ	ON	2008/01/24 09:48
S36	3186	slot with pin with lock with position	US-PGPUB; USPAT	ADJ	ON	2008/01/24 09:55
S37	87	slot with pin with lock with position with nut	US-PGPUB; USPAT	ADJ	ON	2008/01/24 09:55
S38	0	valve.ti. and (adjust\$4 with seat\$3)"ab."	US-PGPUB; USPAT	ADJ	ON	2008/01/24 10:21
S39	460	valve.ti. and (adjust\$4 with seat\$3).ab.	US-PGPUB; USPAT	ADJ	ON	2008/01/24 10:21
S40	576	valve.ti. and (adjust\$4 with spring).ab.	US-PGPUB; USPAT	ADJ	ON	2008/01/24 10:31
S41	71	valve.ti. and (adjust\$4 spring).ab.	US-PGPUB; USPAT	ADJ	ON	2008/01/24 10:31
S42	2	slot with pin with lock with position with nut with valve	US-PGPUB; USPAT	ADJ	ON	2008/01/24 10:37
S43	328	(pin adj slot adj2 connection) and valve	US-PGPUB; USPAT	ADJ	ON	2008/01/24 10:41
S44	40	(pin adj slot adj2 connection) and valve. ti.	US-PGPUB; USPAT	ADJ	ON	2008/01/24 10:41
S45	15	("3255774").URPN.	USPAT	ADJ	ON	2008/01/24 10:53
S46	63	("3756273").URPN.	USPAT	ADJ	ON	2008/01/24 10:56
S47	150	valve.ti. and (adjustable adj2 seat)	US-PGPUB; USPAT	ADJ	ON	2008/01/24 11:18
S48	723	valve.ti. and (guide pin)	US-PGPUB; USPAT	ADJ	ON	2008/01/24 11:32
S49	516	251/121.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/01/24 12:37

S50	276	251/129.18.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/01/24 12:42
S51	749	251/285.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/01/24 12:44
S52	4	251/285.ccls. and adjust \$4 adj2 seat\$3	US-PGPUB; USPAT	ADJ	ON	2008/01/24 12:47
S53	89	251/285.ccls. and adjust \$4 adj2 stop\$3	US-PGPUB; USPAT	ADJ	ON	2008/01/24 12:48

2/28/2008 5:09:51 PM

C:\Documents and Settings\Achaudry\My Documents\EAST\Workspaces\10591041.wsp